

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 09 1999
 Returned to applicant for correction JUN 29 1999
 Corrected application filed JUL 28 1999
 Map filed JUN 18 1991 under 56468

The applicant **Robert R. Egbert**, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **underground source** ("Helen Well")
2. The amount of water applied for is **.1 second-feet**
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Quasi-municipal**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 24, T.19S, R.60E., M.D.B.&M or on a bearing of S 34° 38' 33" W a distance of 1115.0 feet to the W. 1/16 of 24/25 corner**
6. Place of Use **SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 24, T.19S., R.60E., M.D.B.&M. (for clarification, see attached Clark County Treasurer Assessed valuation form giving parcel No. for Erich Storm's Turkey Lane property).**
7. Use will begin about **Jan. 1st** and end about **Dec. 31st** of each year.
8. Description of proposed works **Completed. Underground pump to storage tanks to booster pump through pipes to houses.**
9. Estimated cost of works **\$15,000.00. Work completed. See above.**
10. Estimated time required to construct works **Completed. Underground pump to storage to booster pump through pipes to houses.**
11. Estimated time required to complete the application of water to beneficial use **Completed**

12. Remarks: To serve 4 existing houses with annual consumptive use not to exceed 1.46 million gallons. This amended application is for the purpose of re-instating cancelled permit No. 56468 issued in the name of Robert R. Egbert.

Erich N. Storm
By s/Erich N. Storm
5620 Turkey Ln.
Las Vegas, NV. 89131

Compared my/cmf hs/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is issued subject to existing rights. It is This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 65187 provides water service to four lots discribed by Clark County Assessor's Parcel Numbers (APN) 125-24-402-006, 125-24-402-009, 125-24-402-010 and 125-24-402-011.

This permit is issued subject to the State Engineer's Amended Order 1054, dated April 15, 1992.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

December 30, 2001

Proof of completion of work shall be filed before:

January 30, 2002

Water must be placed to beneficial use on or before:

December 30, 2004

Proof of the application of water to beneficial use shall be filed on or before:

January 30, 2005

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 30th day of, December A.D. 1999


State Engineer

Completion of work filed MAR 14 2001

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____